

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	104	(programming near cycle) near8 (temperature pressure duration (flow near rate) composition power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:01
L2	166790	(gate near (insulator insulation insulating insulated oxide dielectric))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 13:58
L3	13	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 13:58
L4	6	3 and ((@ad<"20030707") or (@rlad<"20030707"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:02
L5	435	(programming near cycle) same (temperature pressure duration (flow near rate) composition power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:29
L6	58	5 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:02
L7	47	6 and ((@ad<"20030707") or (@rlad<"20030707"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:29
L8	41	7 not 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:02

EAST Search History

L9	13	("5104819" "5394101" "5592418" "5700698" "5768192" "6011725" "6215148" "6215702" "6243300" "6269023" "6331952" "6348711" "6349062").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/26 14:21
L10	13	9 and (temperature pressure duration (flow near rate) power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:22
L11	78	(programming near cycle) same temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:29
L12	53	11 and ((@ad<"20030707") or (@rlad<"20030707"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:39
L13	12	12 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:34
L14	2566	((365/185.28) or (365/185.14) or (365/185.33)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:34
L15	6	13 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:36
L16	941	(365/185.28).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 14:37

EAST Search History

L17	71	16 and (programming near cycle) and (temperature pressure (flow near rate) composition power) and (threshold breakdown charge erase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:37
L18	54	17 and ((@ad<"20030707") or (@rlad<"20030707"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:41
L19	29	18 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 14:41

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	394	(365/185.14).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 16:26
L2	63	("20010003374" "3634929" "4322822" "4488262" "4490900" "4502208" "4507757" "4543594" "4546273" "4599705" "4613886" "4677742" "4758986" "4794562" "4823181" "4876220" "4899205" "4943538" "4962342" "5138410" "5150179" "5303185" "5304871" "5323342" "5412244" "5477499" "5496756" "5576568" "5578848" "5586270" "5587603" "5600265" "5675541" "5675547" "5745417" "5825200" "5825201" "5880512" "5909049" "5986931" "5986939" "6016268" "6034893" "6040968" "6064595" "6084428" "6097077" "6157568" "6166954" "6214666" "6215140" "6218274" "6232631" "6249809" "6282123" "6294809" "6297103" "6304666" "6351428" "6421293" "6431456" "6456535" "6556481").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/26 17:09
L3	1440	(365/185.33).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 17:57
L4	333331	(flash near memory) or EPROM or EEPROM or FEPRM or (read near only near memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 17:59

EAST Search History

L5	166790	(gate near (insulator insulation insulating insulated oxide dielectric))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 18:00
L6	13	("5104819" "5394101" "5592418" "5700698" "5768192" "6011725" "6215148" "6215702" "6243300" "6269023" "6331952" "6348711" "6349062").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/26 18:00
L7	13	L6 and (temperature pressure duration (flow near rate) power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 18:00
L8	537	3 and 4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 18:18
L9	3892	((438/14) or (438/278) or (438/288) or (438/289)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 18:19
L10	131020	(programming near4 cycle) or lifetime or (erase near4 cycle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 18:20
L11	168	9 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 18:20
L12	139	11 and ((@ad<"20030707") or (@rlad<"20030707"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 18:27

EAST Search History

L13	397	(test or tested testing) same ((programming near cycle) or (erase near cycle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 18:28
L15	380	438/for.212.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 18:34
L16	1921	((257/314) or (257/E27.078) or (257/E21.68)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/26 18:50
L17	177	16 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/26 18:50
L19	1	((programming or erase or programmed or erased or erasing or program or coding) near8 (temperature or pressure or (flow near rate) or composition or liquid or power) and ((gate or tunnel) near4 (oxide or insulation or insulating or insulated or dielectric)) and duration).clm.	US-PGPUB	OR	ON	2006/10/26 19:27